



9700 Patuxent Woods Drive,  
Suite 106  
Columbia, MD 21046

W: OPCMIATraining.org

f OPCMIATraining

t @OPCMIATraining

☎ (443) 535-1900

## Notice - 2022

**Date:** November 1, 2022

**To:** Vice Presidents, Business Managers, Coordinators, Instructors, Field Representatives, JATCs

**From:** Doug Taylor, Executive Director; Tony Longbrake, Assistant Executive Director; Tim Nelson, Plastering Coordinator; and Nick Demonte, Cement Mason Coordinator

**Subject:** Effective Immediately: Voluntary Rescission of Supplied Air Monitoring Systems, Inc. Approval

Please be aware that if you use supplied air monitoring systems, NIOSH has rescinded their approval of respirators with approval number **TC-13F-0214**.

Per the official notice accessible [here](#), “**respirators bearing this NIOSH approval number may no longer be used**, manufactured, assembled, sold, or distributed.”

Please [click here](#) to view the official rescission notice and to access the NIOSH Certified Equipment List.

If you have any questions for the ITF, please contact us at [tlongbrake@opcmia.org](mailto:tlongbrake@opcmia.org), [tnelson@opcmia-itf.org](mailto:tnelson@opcmia-itf.org), [ndemonte@opcmia-itf.org](mailto:ndemonte@opcmia-itf.org), or [kjackson@opcmia-itf.org](mailto:kjackson@opcmia-itf.org).